

ARNADILLO X

USER MANUAL





Congratulations on the purchase of 23ZERO's Armadillo X Annex Room. The Annex Room attaches directly to an Armadillo X rooftop tent. The annexes are available in 2 sizes, X2 & X3 each made to fit corresponding 23ZERO Armadillo X tents.

PLEASE FOLLOW THESE INSTRUCTIONS FOR CORRECT INSTALLATION

PACKAGE CONTENTS

- 1x Polyester annex room
- 1 x PVC annex floor (not attached to annex)
- 2 x telescopic poles with carry bag
- pegs, guy ropes & peg bag
- Pack up strap



- Set up Armadillo rooftop tent.
- Ensure nobody is inside tent, retract ladder and retain with ladder strap Fig.1
- Identify Kedar ropes & attaching zips on Annex and layout under Yowie tent Fig.2

NOTE: On First use PVC floor is not attached to annex.

Fig.1




Fig.2







- Locate Kedar rope on back side of opening Fig.3
- Locate rope tracks on underside of Yowie tent Fig.4



- Slide Kedar rope all the way through into the rear Armadillo X rope track Fig.5 & 6
- Locate both left and right zips under the tent skirt. Engage the zip pull start on the annex to zip on tent skirt and zip through Fig.7
- Repeat on other side Fig.8







Fig.6











IMPORTANT::

Depending on vehicle height, rooftop tent ladder may be required to complete the following step. Set up ladder as per rooftop tent instructions before climbing.

 Continue to zip along and over up the tent canopy whilst securing the annex to relive tension as you go – Fig. 10,11,12



- Attach PVC floor via zip if desired and anchor annex corners with pegs supplied Fig.12
- **NOTE:** Retract ladder and secure with retaining strap to avoid ladder interference while attaching floor.



• Fully erect enclosed segmented poles

• Locate the two roof eyelets within the annex located on either side of annex entry (Fig.13), insert the spigot end of pole through the eyelet (Fig.14)

• Repeat other side. Adjust telescopic poles to taut annex - Fig.15

Fig.13





 Complete set up by attaching guide ropes over the spigot end and peg adequately at a approximate 45° angle - Fig.16







Set up Complete





Pack up / Folding





Warranty

23ZERO will replace or repair any product at its discretion that is subject to faulty manufacturing or workmanship including materials.

Making a claim

To make a claim in relation to the above manufacturers warranty please ensure you retain your sales receipt of purchase. Please contact us stating the nature of your claim and we will be in touch with you shortly. If you require additional assistance, please call 801-349-1099 to discuss and arrange your claim. Product subject to warranty will be sent to 23ZERO USA, 2195 S Presidents Dr. Ste B. West Valley City, UT 84120. All freight costs associated with return of product for assessment is payable by the customer.

Due to our policy of continual product development, the specifications, colors and feature may vary.

Please visit https://23zero.com/returns/ to see full details.