



Armadillo Horizon

ANNEX

USER MANUAL



The Annex attaches directly to an Armadillo Horizon rooftop tent. The annexes are available in two sizes, H2 & H3, each made to fit corresponding 23ZERO Armadillo Horizon tents.

PLEASE FOLLOW THESE INSTRUCTIONS FOR CORRECT INSTALLATION

PACKAGE CONTENTS

- Annex room & floor
- Telescopic poles with caps & carry bag
- Stakes & ropes
- Pack up straps
- Storage bag



1. Set up Armadillo Horizon rooftop tent. Ensure nobody is inside tent, retract ladder and secure with ladder strap - Fig.1 (tent model in image may vary)
2. Identify keder ropes & attaching zips on annex and lay out under tent - Fig.2


Fig.1



Fig.2



1. Insert the rear keder track along the underside of the main tent body, nearest front latches. Be careful of the toggles on the outside of the annex during installation as they may catch on the latch points while pulling keder through the rail. An extra set of hands will help.
2. Insert the keder rail into the sides of the fold out floor from the hinge side, out towards the ladder.



IMPORTANT::

Depending on vehicle height, roof top tent ladder may be required to complete the following step. Set up ladder as per roof top tent instructions before climbing.

- Locate zip slide on annex and attach to zip on tent canopy - Fig.9
- Lift annex to relieve weight from zip and continue zipping with opposite hand - Fig.10

Fig.9



Fig.10



- Once zipped, annex will look like this - Fig.11

NOTE: Retract ladder and secure with retaining strap to avoid ladder interference while attaching floor.

Fig.11



- Extend telescopic poles to approx baseboard height and twist to lock
- Locate eyelets on annex roof beside each side of entry door and insert pole spigot - Fig.13
- Repeat on other side. Adjust telescopic poles to taut annex - Fig.14

Fig.13



Fig.14



- Attach guy ropes to external rings beside each pole spigot and anchor adequately with pegs supplied - Fig.15
- Fig.15



Set up Complete





↑
ROLL

